



URBAN WRAP
GLASS + DOOR + VEHICLE

URBAN WRAP TECHNICAL SERVICES LLC



www.urbanfitouts.ae

@urbanwrapuae
urbanwrapuae
+971 56 131 5990
www.urbanfitouts.ae
www.onlineinterior.ae
urbanwrapuae@gmail.com
Office 205/59, Blue Wave Tower,
Wadi Al Safa 5, Plot 2152-0, Dubai,
United Arab Emirates

URBAN WRAP TECHNICAL SERVICES LLC

URBAN WRAP TECHNICAL
SERVICES LLC



Index.

URBAN WRAPTECHNICAL SERVICES LLC

INTERIOR FILM

APZ		LW115	50
APZ05	108	LW116	48
APZ18	108	LW117	48
APZ25	108	LW118	56
APZ26	108	LW119	56
BLC		LW120	55
BLC01	NEW 10	LW121	NEW 41
BLC02	NEW 10	LW122	NEW 40
BLC03	NEW 10	LW123	NEW 42
BLC04	NEW 10	LW201	NEW 37
BLC05	NEW 10	LW202	NEW 38
BLC06	NEW 10	LW203	NEW 36
BLC07	NEW 10	NF	
CP		NF901	100
CP202	22	NF902	100
ECF		NF903	99
ECF01	NEW 121	NF904	99
EXF		NF905	99
EXF51	NEW 120	NF906	99
EXF52	NEW 120	NS	
EXF53	NEW 120	NS118	119
EXF54	NEW 120	NS119	119
HS		NS120	117
HS204	22	NS121	117
LM		NS122	117
LM202	22	NS123	117
LS		NS201	NEW 116
LS102	22	NS202	NEW 116
LS103	22	NS401	118
LS104	22	NS403	118
LS106	22	NS601	107
LW		NS602	107
LW101	46	NS703	118
LW102	45	NS710	117
LW103	46	NS711	117
LW104	54	NS715	119
LW105	53	NS717	118
LW106	54	NS804	119
LW107	52	NS806	119
LW108	51	NS814	119
LW109	52	NS822	118
LW110	44	NS823	118
LW111	43	NS898	118
LW112	44	OGW	
LW113	50	OGW01	NEW 32
LW114	49	OGW02	NEW 31

OGW03	NEW 31
OGW04	NEW 33
OGW05	NEW 33
OGW06	NEW 34
PM	
PM003	111
PM004	113
PM006	115
PM007	115
PM008	113
PM009	114
PM010	114
PM014	112
PM016	112
PM017	111
PM019	110
PNC	
PNC41	12
PNC42	11
PNC43	12
PNC44	11
PNC45	13
PNC46	13
PNC47	11
PNC49	11
PNC50	12
PNC51	11
PNC52	11
PNC53	13
PNC54	13
PNC55	11
PNC56	12
PNC57	13
PNC58	12
PNC59	12
PNT	
PNT01	19
PNT02	19
PNT03	19
PNT04	19
PNT05	19
PNT07	19
PNT09	19
PNT10	19
PTW	
PTW01	20

PTW02	20
PTW04	20
PTW05	20
PTW06	20
PTW07	20
PTW08	20
PTW09	20
PTW10	20
PTW11	20
PTW12	20
PTW14	20
PTW15	20
PTW16	20
RF	
RF001	101
RF008	101
RF010	101
RF011	101
RM	
RM002	107
RM003	107
RM004	107
RM005	107
RM007	107
RM008	107
RM009	107
RM011	107
RM012	107
RM015	107
RM051	107
S	
S115	15
S126	15
S127	16
S128	15
S140	15
S141	16
S143	15
S145	16
S146	17
S147	17
S149	15
S150	17
S153	16
S156	16
S157	16

S158	15
S159	15
S166	17
S169	17
S173	17
S175	17
S176	15
S177	15
S178	15
S179	15
S181	15
S183	16
S185	16
S186	17
S188	17
S189	17
S194	17
S195	16
S197	15
S198	16
S200	16
S201	16
S202	16
S204	16
S208	15
S209	15
S210	15
S211	15
S212	16
S213	17
S214	16
S215	16
S216	15
S217	16
S218	16
S219	17
S230	16
S231	15
S232	17
S233	16
S234	16
S235	15
S236	15
S237	16
S238	16
S239	16

S240	15
S241	17
S242	16
S243	15
S244	15
S245	15
S246	16
S247	16
S248	16
S249	16
S250	17
S251	16
S252	16
S253	16
S254	16
S255	15
S256	15
S257	15
S258	15
S259	15
S260	15
S261	NEW 16
S262	NEW 16
S263	NEW 15
S264	NEW 15
S265	NEW 15
S266	NEW 15
SF	
SF801	NEW 98
SF802	NEW 98
SF803	NEW 98
SF804	NEW 98
SL	
SL401	NEW 102
SL402	NEW 102
SL403	NEW 102
SL404	NEW 102
SMT	
SMT01	21
SMT02	21
SMT03	21
SMT04	21
SMT05	21
SMT06	21
SMT07	21
SMT10	21

SMT11	21
SMT12	21
SMT13	21
SMT14	21
SMT15	21
SMT16	21
SMT17	21
SMT18	21
SMT20	21
SMT21	21
SMT24	21
SPW	
SPW01	71
SPW03	64
SPW05	61
SPW09	NEW 57
SPW10	NEW 57
SPW11	70
SPW12	72
SPW13	73
SPW14	83
SPW15	65
SPW16	71
SPW17	66
SPW18	71
SPW19	81
SPW20	81
SPW22	60
SPW23	67
SPW24	72
SPW25	80
SPW26	71
SPW27	81
SPW28	82
SPW29	68
SPW30	70
SPW38	NEW 59
SPW39	NEW 59
SPW40	79
SPW41	82
SPW42	86
SPW43	69
SPW44	85
SPW45	60
SPW46	64

SPW47	84
SPW48	84
SPW49	76
SPW50	76
SPW52	79
SPW53	81
SPW54	67
SPW55	86
SPW56	80
SPW57	84
SPW60	75
SPW61	62
SPW62	66
SPW63	63
SPW64	70
SPW65	83
SPW66	65
SPW67	74
SPW68	62
SPW69	75
SPW70	78
SPW71	68
SPW72	84
SPW73	77
SPW88	NEW 58
SPW89	NEW 58
SPW90	69
SPW91	63
SPW92	85
SPW94	70
SPW95	73
SPW96	74
SPW97	78
SPW98	61
SPW99	77
UMI	
UMI01	106
UMI02	106
UMI05	106
UMI06	106
VM	
VM901	104
VM902	105
VM903	105
VM904	105

VM905	103
VM906	103
VM907	104
VM908	104
VM909	103
VM910	104
VM911	105
W	
W011	93
W012	93
W015	94
W016	96
W017	NEW 91
W018	NEW 91
W134	94
W141	95
W171	95
W177	95
W183	95
W189	93
W192	93
W196	93
W198	93
W200	94
W206	95
W207	96
W260	95
W301	94
W302	95
W351	94
W357	94
W375	93
W376	95
W388	94
W389	94
W390	94
W401	94
W402	NEW 91
W403	NEW 91
W504	94
W508	95
W528	93
W531	94
W538	94
W632	94

W638	96
W681	95
W705	96
W722	96
W727	96
W741	NEW 92
W742	NEW 92
W816	95
W823	96
W842	95
W845	95
W863	93
W864	95
W867	94
W870	95
W871	93
W874	94
W877	94
W878	94
W879	94
W880	96
W881	94
W882	93
W883	96
W933	93
W935	93
W937	93
W942	95
W943	95
W946	93
W949	95
W952	94
W953	96
W954	96
W955	96
W956	96
W957	NEW 92
W958	NEW 92
ZSW	
ZSW04	20
ZX	
ZX102	88
ZX103	87
ZX104	89
ZX107	89

ZX108	89
ZX109	89
ZX110	89
ZX113	87
ZX114	88
ZX116	90
ZX118	90
ZX119	89
ZX124	89
ZX125	90
ZX126	90
ZX130	88
ZX133	90
ZX134	90
ZX141	90
ZX144	88
ZX145	88
ZX149	89
ZX152	88
ZX153	87
ZX154	89
ZX155	87
ZX156	88
ZX157	90
ZX158	90
ZX159	88
ZX161	87
ZX162	88
ZX163	88
ZX165	87
ZX166	87
ZX169	89
ZX171	87
ZX172	89
ZX174	90
ZX175	90
ZX176	87
ZX178	87
ZX179	87
ZX180	88

CONTENTS

01 BASIC	Mono Blanc
09p	Premium Painted Concrete
	Solid
	Premium Painted Wood
	Painted Wood
	Super Matt
	Texture

02 WOOD	Optical Grain Wood
23p	Long Wood
	Origin Wood
	Premium Wood
	Standard Wood

03 NATURAL SURFACE	Soft Fabric
97p	Natural Fabric
	Real Fabric
	Soft Leather
	Velvet Metal
	UMI
	Real Metal
	Gold

04 STONE & MARBLE	Premium Marble
109p	Stone & Marble

05 ETC	Exterior Film
120p	Easy Clean Film

URBAN WRAPTECHNICAL
SERVICES LLC



LIVING & CULTURE

Start your journey with URBAN WRAPTECHNICAL SERVICES LLC
to discover the most contemporary interior design, where the life
becomes the culture.



www.urbanfitouts.ae

Scan QR Code to explore URBAN WRAP Interior Films online.
The pattern images of all Bodaq Interior Film series are available.

26-27 Trend Summary

Care-full



Amid social changes, health, relaxation, and emotional recovery have become priority, while the advancements in technology and infrastructure are expanding the role of spaces - from personal to social connections, health care and wellness. Reflecting this, Hyundai L&C's trend analysis for this year identifies the in-trend theme as '**Care-full** : A Space Filled with Care', suggesting a new perspective on space design with daily life stability, relationship restoration & medical · health care experiences. Explore the evolving trend toward Human-centered design filled with meticulous attention and sensitivity.

Ego Care

A private space of rest for personal recovery.

01

The warm, medium wood toned interior film adds a delicate grain throughout the space, creating a deep relaxing atmosphere.



96p


Teak W953

Connect Care

A space for fostering emotional connection.

02

LW Long Wood series articulate a community lounge that balances generous spatiality with a refined sense of comfort.



50p



Alpine Oak LW113

Bio Care

A wellness space for the balance of the body.

03

The subtle concrete pattern creates a calming visual environment, turning the act of staying in the space into a healing wellness experience.



11p

Moon Stone PNC55

URBAN WRAPTECHNICAL SERVICES LLC



Environment

We care the Environment



Eco-Label Certification

Bodaq Fire-Retardant Interior Film is an eco-friendly product certified with the Eco-Label, designed to minimize the content of harmful substances. The Environmental Label Certification is a recognized standard established to reduce resource waste & environmental pollution, which is a key criterion prioritized in material selections by public institutions. Bodaq Fire-Retardant Interior Film meets these stringent environmental and legal standards, offering a choice that can be applied with confidence in any public, commercial, and residential places.

※ In accordance with Article 6 of the Act on the Promotion of Green Product Purchases, public institutions are required to give priority to purchase green products when the supply is available.

※ Eco-Label Certification enables consumers to accurately identify the product & the service with superior environmental performance.

※ Discover our Eco-Label Certified Bodaq products and detailed technical information on the official website: (<https://m.ebodaq.com/Community/TechnologyData>)

※ Not intended for direct food contact - certification status may vary by Bodaq series, referring the technical data sheet on Bodaq official website is required.

※ Applicable Series: APZ, BLC, CP, HS, LM, LS, LW, NS, PM, PNC, PNT, PTW, RM, S, SF, SL, SMT, SPW, VM, W, ZSW, ZX



Environmental Product Declaration (EPD Certification)

EPD Certification evaluates the environmental impact of energy and resources across the entire product life cycle - including raw materials sourcing, production, distribution, use, and disposal. Bodaq Interior Film not only holds EPD Certification, but also continuously pursues improvements in environmental performance.



Eco-Friendly Building Materials Certification (HB Mark)

Bodaq Interior Film (non-fire-retardant) has achieved the highest grade in substance verification test in compliance with the Eco-Friendly Building Materials Certification (HB Mark) regulations established by the Korea Air Cleaning Association, by utilizing water-based adhesive applications.

Safety

Your Safety is our Priority



소방산업기술원

Fire-Retardant Performance Test

Bodaq Interior Film (fire-retardant) products, only films that have passed the Fire-Retardant performance test conducted by the Korea Fire Institute (KFI) are allowed to be distributed with the certification mark. For the corresponding results notification of each Fire-Retardant production lot, please contact your nearest Bodaq Interior Film distributor.


Fire-Retardant Performance [KFI Certification]					
Char Length ≤ 20 cm	Char Area ≤ 30 cm ²	Afterglow time ≤ 5 seconds	Afterflame time ≤ 3 seconds	Smoke density 200 Ds	
Stain-Resistant					
					
Soy Sauce	Coke	10% Hydrochloric Acid	Coffee	5% Ethanol	Wine Vinegar
No changes					

※ Certificates of performance, construction specifications, and technical data sheets can be found on the Bodaq official website (<https://m.ebodaq.com/Community/TechnologyData>), either can be requested to our headquarters or authorized distributors.



Denver

Bodaq



11p

Moon Stone **PNC55**



117p

Granite **NS121**

HanStone



Luna White

Bodaq



13p

Stone Blast **PNC53**



117p


Sierra Stone **NS123**

HanStone




Eden

Bodaq



15p

Matt Ivory **S256**



110p


Venato **PM019**

HanStone




Boa Vista

Bodaq



12p

Sand Stone **PNC59**



119p

White Marble **NS119**



01 COLLECTION

BASIC

Mono Blanc
Premium Painted Concrete
Solid
Premium Painted Wood
Painted Wood
Super Matt
Texture




HYUNDAI L&C 2026 - 2027
Bodaq Interior Film
New Collection

URBAN WRAPTECHNICAL
SERVICES LLC


Mono Blanc

● Fire Retardant ● General




Pure White

NEW ● ● BLC05



Cream

NEW ● ● BLC02



Cream White

NEW ● ● BLC06



Porcelain

NEW ● ● BLC03



White

NEW ● ● BLC07



Terranova

NEW ● ● BLC04



Valen

NEW ● ● BLC01

BASIC



Premium Painted Concrete


URBAN WRAPTECHNICAL SERVICES LLC




Stucco PNC51



Moon Stone PNC52




Slate PNC47



Moon Stone PNC55



Stucco PNC44



Moon Stone PNC49




Stone Blast PNC42



Sand Stone PNC58




Sand Stone PNC59



Stone Blast PNC41



Moon Stone PNC50



Stone Blast PNC43



Stone Blast PNC56




Stone Blast PNC53




Stucco PNC45



Stucco PNC46



Stucco PNC54




Stone Blast PNC57


LIVART Matching Film Fire Retardant General



Solid




Complete the space with enhanced, more diverse range of colors from calm neutral monochromatic hues to soft pastels and trendy shades.
Creat ea as pspacaec e t hthata t etlelsl sa au unniqouee ea nandd s psepceicaila sl tsotroyr,y o, noen et htahta tis i st rturluyl yo noen-eo-fo-fa-ak-iknidn.d.






Solid



NEW ●● S263



NEW ●● S264

Premium Painted Wood



Premium Painted Wood ●● PNT01



Premium Painted Wood ●● PNT02



Premium Painted Wood ●● PNT03



Premium Painted Wood ●● PNT04



Premium Painted Wood ●● PNT07



Premium Painted Wood ●● PNT09



Premium Painted Wood ●● PNT05




Premium Painted Wood ●● PNT10

URBAN WRAPTECHNICAL SERVICES LLC

Painted Wood

● Fire Retardant ● General



Super White Wood ●● ZSW04



Painted Wood ●● PTW16




Painted Wood ●● PTW10



Painted Wood ●● PTW01



Painted Wood ●● PTW02



Painted Wood ●● PTW14




Painted Wood ●● PTW08



Painted Wood ●● PTW11



Painted Wood ●● PTW12



Painted Wood ●● PTW06




Painted Wood ●● PTW05




Painted Wood ●● PTW09



Painted Wood ●● PTW07



Painted Wood ●● PTW15



Painted Wood ●● PTW04

※ The images above are for illustrative purposes only, and may differ from the actual products.



Super Matt

URBAN WRAPTECHNICAL SERVICES LLC Super Matt series features a premium, special surface texture treated product providing strong resistance to daily stains and scratches. Its gentle visual effect and luxurious tactile feel elevate the sophistication of any space to a new dimension.



Feel the texture * Premium matte finish applied.
The surface texture may vary between Fire-Retardant and General due to the manufacturing processes
(*Sample book reference: General version)

Super Matt			SMT24
Super Matt	SMT16	Super Matt	SMT01
Super Matt	SMT21	Super Matt	SMT17
Super Matt	SMT20	Super Matt	SMT12
Super Matt	SMT18	Super Matt	SMT13
Super Matt	SMT10	Super Matt	SMT05
Super Matt	SMT11	Super Matt	SMT06
Super Matt		Super Matt	SMT07
Super Matt		Super Matt	SMT02
Super Matt		Super Matt	SMT03
Super Matt		Super Matt	SMT04
Super Matt		Super Matt	SMT14
Super Matt		Super Matt	SMT15



Texture

Fire Retardant	General
LS102	
LS104	
HS204	
CP202	
LM202	
LS106	
LS103	

WOOD

- Optical Grain Wood
- Long Wood
- Origin Wood
- Premium Wood
- Standard Wood



Long Wood

Bodaq LW Long Wood Series combines a luxurious surface finish with an extended 1,800mm vertical repeat, enhancing the beauty of high ceiling spaces. Experience the grandeur of Long Wood with LW Series.




Origin Wood

Bodaq SPW Origin Wood series delivers a more natural wood texture through premium surface coating and precise embossing. Explore SPW's luxurious surface finishes across a variety of colors and wood types.





Wood Palette




Wood Palette



LIVART Matching Film ● Fire Retardant ● General ||| Vertical || Half Grain 🌲 Wood Grain





● Fire Retardant ● General ||| Vertical |||| Half Grain 🌲 Wood Grain



Essence Teak

NEW ● OGW06 🌲

※ The images above are for illustrative purposes only, and may differ from the actual products.


Optical Grain Wood

OGW06




Essence Teak

NEW ● OGW04 🌲




Essence Teak


NEW ● OGW05 🌲



Optical Grain Wood




OGW01



Noble Oak

NEW ● OGW02



Noble Oak

NEW ● OGW03



Noble Oak

NEW ● OGW01



Long Wood



● Fire Retardant ● General || Vertical ||| Half Grain ▲ Wood Grain



Noa Oak

NEW ● ● LW203 |||

※ The Images above are for illustrative purposes only, and may differ from the actual products.



Long Wood

● Fire Retardant ● General ||| Vertical |||| Half Grain △ Wood Grain



Noa Oak

NEW ● ● LW201 ||||




Noa Oak

NEW ● ● LW202 ||||



Long Wood



● Fire Retardant ● General ||| Vertical |||| Half Grain 🌲 Wood Grain



Arden Oak

NEW ● ● LW122 🌲

※ The Images above are for illustrative purposes only, and may differ from the actual products.



Long Wood



Fire Retardant General Vertical Half Grain Wood Grain





Long Wood



LW111 . PNC55



Nordic Oak

LW111



Nordic Oak

LW110



Nordic Oak

LW112

Fire Retardant General Vertical Half Grain Wood Grain



Long Wood



Fire Retardant General Vertical Half Grain Wood Grain



Denver Oak LW102




Denver Oak



LW101 Denver Oak LW103



Long Wood





Long Wood



LW114



Alpine Oak LW114



Alpine Oak LW113



Alpine Oak LW115

Fire Retardant General Vertical Half Grain Wood Grain



Timber Oak



LW108

Fire Retardant General Vertical Half Grain Wood Grain



Timber Oak

LW107



Timber Oak

LW109



Sonoma Oak LW105



Sonoma Oak LW104



Sonoma Oak LW106

Fire Retardant General Vertical Half Grain Wood Grain



Long Wood



LW120



Ebony Oak

LW120



Ebony Oak

LW118




Ebony Oak

LW119

Fire Retardant General Vertical Half Grain Wood Grain

Origin Wood



SPW10

Experience a new dimension of premium finishes with the sturdy texture and natural feel, closely resembling real wood.

● Fire Retardant ● General ||| Vertical |||| Half Grain 🌲 Wood Grain



Eden Oak

NEW ● ● SPW88 🌲



Eden Oak

NEW ● ● SPW89 🌲



Spanish Oak

NEW ● ● SPW09 🌲



Spanish Oak

NEW ● ● SPW10 🌲



SPW89



Origin Wood



Siena Teak

NEW ● ● SPW38



Siena Teak

NEW ● ● SPW39

● Fire Retardant ● General ||| Vertical |||| Half Grain |||| Wood Grain



Solid Oak

● ● SPW22



Oak

● ● SPW45 |||



SPW22



Origin Wood



Oak ●● SPW98 🌲



Vertical Wood ●● SPW05 |||

● Fire Retardant ● General ||| Vertical 🌲 Half Grain 🌲 Wood Grain



Wash Oak ●● SPW61 🌲



Oak ●● SPW68 🌲





Origin Wood



Oak SPW98 Vertical Wood SPW05



Wash Oak SPW61



Oak SPW68



SPW68



Origin Wood



SPW15



Elm

● ● SPW66



Velvet Oak

● ● SPW15



● Fire Retardant ● General ||| Vertical || Half Grain || Wood Grain



Wild Oak

● ● SPW17



Wash Oak

● ● SPW62



SPW17



Origin Wood



Elder

● ● SPW54 |||



Solid Oak

● ● SPW23 ⌋

● Fire Retardant ● General ||| Vertical |||| Half Grain ⌋ Wood Grain



Oak

● ● SPW29 ⌋



Eucalyptus


● ● SPW71 ⌋



SPW29




Origin Wood



Oak

SPW43



African Teak

SPW90

● Fire Retardant ● General ||| Vertical // Half Grain ^ Wood Grain



Oak

SPW64



White Oak

SPW11




Oak

SPW30



Soft White Oak

SPW94






Origin Wood



Velvet Oak ● SPW16



Wild Oak ● SPW01



Wild Oak ● SPW18



Walnut ● SPW26



● Fire Retardant ● General ||| Vertical || Half Grain 🌲 Wood Grain



Stripe Wood ● SPW24 |||



White Oak ● SPW12



Origin Wood




Oak

● ● SPW13



Eiche

● ● SPW95



SPW95

● Fire Retardant ● General ||| Vertical || Half Grain ⌒ Wood Grain



SPW67



Eiche

● ● SPW96



Elm

● ● SPW67 |||



Origin Wood



SPW60



Oak

● ● SPW69



Ash

L ● ● SPW60

L LIVART Matching Film ● Fire Retardant ● General ||| Vertical |||| Half Grain ㊦ Wood Grain



Split Wood

● ● SPW50



Split Wood

● ● SPW49



SPW50



Origin Wood



SPW73



Oak

SPW99



Walnut

SPW73

Fire Retardant General Vertical Half Grain Wood Grain



Eucalyptus

SPW70



African Teak

SPW97



SPW70



Origin Wood



Elm

● ● SPW40



Walnut

● ● SPW52



SPW40

● Fire Retardant ● General ||| Vertical || Half Grain ≡ Wood Grain



Stripe Wood

● ● SPW25



Ash

● ● SPW56



Origin Wood



Walnut ● ● SPW27




Oak ● ● SPW53



Dark Oak ● ● SPW19



Dark Oak ● ● SPW20



● Fire Retardant ● General ||| Vertical



SPW41 . SPW42



Teak ● ● SPW41 |||



Walnut ● ● SPW28



Origin Wood



Walnut

SPW27



Oak

SPW53



Dark Oak


SPW19



Dark Oak

SPW20


Origin Wood



Fire Retardant General Vertical Half Grain Wood Grain



SPW41 . SPW42



Fire Retardant General Vertical Half Grain Wood Grain

SPW28



Walnut

SPW47

Walnut

SPW72



Origin Wood



Oak

● ● SPW44



Oak

● ● SPW92



SPW44

● Fire Retardant ● General ||| Vertical || Half Grain △ Wood Grain



SPW



Teak

● ● SPW42 |||



Elder

● ● SPW55 |||



Premium Wood



Oak ●● ZX171 



Oak ●● ZX161 



Ash ●● ZX103 



Cherry ●● ZX155 



Maple ●● ZX153 



Teak ●● ZX178 



Ash ●● ZX176 



Oak ●● ZX166 



Oak ●● ZX165 



Oak  ●● ZX179 



Eiche ●● ZX113 



ZX179

but also tactile details that can be felt at your fingertips, bringing nature into your daily life.

 LIVART Matching Film ● Fire Retardant ● General ||| Vertical  Half Grain  Wood Grain



Oak ●● ZX162 



Oak  ●● ZX180 



Oak ●● ZX144 



Ash ●● ZX159 



Oak ●● ZX145 



Oak ●● ZX163 



Wizard Grain ●● ZX102 



Eiche ●● ZX114 



Oak ●● ZX152 



Ash ●● ZX156 



Apple ●● ZX130 



ZX180



Premium Wood



Oak ●● ZX171 ▨ ▨



Oak ●● ZX161 ▨ ▨ ▨



Ash ●● ZX103 ▨ ▨



Cherry ●● ZX155 ▨ ▨



Maple ●● ZX153 ▨ ▨ ▨



Teak ●● ZX178 ▨ ▨



Ash ●● ZX176 ▨ ▨



Oak ●● ZX166 ▨ ▨



Oak ●● ZX165 ▨ ▨



Oak L ●● ZX179 ▨ ▨



Eiche ●● ZX113 ▨ ▨

but also tactile details that can be felt at your fingertips, bringing nature into your daily life.

L LIVART Matching Film ● Fire Retardant ● General ▨ ▨ ▨ Vertical ▨ ▨ ▨ Half Grain ▨ Wood Grain



Oak ●● ZX162 ▨ ▨



Oak L ●● ZX180 ▨ ▨



Oak ●● ZX144 ▨ ▨



Ash ●● ZX159 ▨



Oak ●● ZX145 ▨ ▨



Oak ●● ZX163 ▨ ▨



Wizard Grain ●● ZX102 ▨ ▨



Eiche ●● ZX114 ▨ ▨



Oak ●● ZX152 ▨ ▨



Ash ●● ZX156 ▨ ▨



Apple ●● ZX130 ▨ ▨



Premium Wood



ZX172



Oak ●● ZX107 🌲



Oak ●● ZX108 🌲



Oak ●● ZX172 🌲



Ash ●● ZX110 🌲



Ash ●● ZX109 🌲



Walnut ●● ZX149 🌲



Oak ●● ZX154 |||



Walnut ●● ZX119 🌲



Pine ●● ZX169 🌲



Oak ●● ZX124 🌲



Teak ●● ZX104 |||

● Fire Retardant ● General ||| Vertical 🌲 Half Grain 🌲 Wood Grain



Walnut ●● ZX158 🌲



Walnut ●● ZX126 🌲



Teak ●● ZX118 |||



Walnut ●● ZX175 🌲



Amazahoue ●● ZX116 |||



Oak ●● ZX133 🌲




ZX175



Oak ●● ZX174 🌲



Oak ●● ZX125 🌲



Oak ●● ZX134 🌲




Ash ●● ZX141 🌲




Oak ●● ZX157 🌲




Standard Wood



Eucalyptus NEW ● ● W017



Eucalyptus NEW ● ● W018




Riven Oak NEW ● ● W402




Riven Oak NEW ● ● W403



textures seamlessly blend with your space.





Soft Noche NEW ● ● W741




Soft Noche NEW ● ● W742

● Fire Retardant ● General ||| Vertical |||| Half Grain ||||| Wood Grain



Velvet Oak NEW ● ● W957



Velvet Oak NEW ● ● W958



Standard Wood

●● W198

●● W933

●● W011

●● W189

●● W012

●● W863

●● W946

●● W935

●● W196

●● W882

●● W937

●● W375

● Fire Retardant ● General ||| Vertical |||| Half Grain |||| Wood Grain

●● W351 |||

●● W389

●● W015

●● W301 |||

●● W200

●● W134

●● W877 |||

●● W879

●● W401

●● W878 ||

●● W531

●● W504 |||

●● W538

●● W388

●● W632

●● W952 |||

●● W390

●● W538 |||

●● W874

●● W390

●● W538 |||

●● W198

●● W933

●● W011

●● W189

●● W012

●● W863

●● W946

●● W935

●● W196

●● W882

●● W937

●● W375

●● W871



Standard Wood



Sycamore ●● W845 |||



Pine ●● W183 |||



Maple ●● W842 |||



Noce ●● W508 |||



Maple ●● W171 |||



Cherry ●● W816 |||



Walnut ●● W260 |||



Oak ●● W949 |||



Oak ●● W864 |||



Teak ●● W870 |||



Africa Limba ●● W177 |||



Walnut ●● W141 |||



Walnut ●● W376 |||



Walnut ●● W206 |||



Teak ●● W953 |||



Ash ●● W880 |||



Rose Wood ●● W727 |||



Walnut ●● W954 |||



Walnut ●● W016 |||



Noce ●● W823 |||



Walnut ●● W956 |||



Walnut ●● W955 |||



Oak ●● W638 |||



Burl Wood ●● W883 |||



Walnut ●● W207 |||



Noce ●● W722 |||



Noce ●● W705 |||

● Fire Retardant ● General ||| Vertical |||| Half Grain |||| Wood Grain




03 COLLECTION

NATURAL SURFACE

- Soft Fabric
- Natural Fabric
- Real Fabric
- Soft Leather
- Velvet Metal
- UMI
- Real Metal
- Gold

URBAN WRAPTECHNICAL SERVICES LLC



The Soft Fabric series, with its natural textile texture, brings a gentle touch to create a modern yet warm interior atmosphere.

Soft Fabric

SF802 - LW122

● Fire Retardant ● General



Chevron

NEW ● ● SF801



Woven Fabric

NEW ● ● SF803



Chevron

NEW ● ● SF802



Woven Fabric

NEW ● ● SF804

NATURAL SURFACE




Natural Fabric





Oxford Twill NF904




Herringbone NF903



Oxford Twill NF905



Herringbone NF902



NATURAL SURFACE

Fire Retardant General



Real Fabric

offering the natural texture unique to fabric along with exceptional durability.




RF010




Real Fabric

RF011




Real Fabric

RF008



Real Fabric

RF010




Real Fabric

RF001

Add a sense of warmth and depth to your space with Soft Leather, where a smooth touch and gentle sheen come together in perfect harmony.

Soft Leather

● Fire Retardant ● General




Soft Leather

NEW ● SL401




Soft Leather

NEW ● SL402



Soft Leather

NEW ● SL403



Soft Leather

NEW ● SL404



SL403



Velvet Metal



Champagne

● ● VM905



Rose Gold

● ● VM906



Brown

● ● VM909



in sophisticated colors.

● Fire Retardant ● General



Gold

● ● VM907



Light Brown

● ● VM908



Ash

● ● VM910



Chrome

● ● VM901

Real Metal

With Bodaq’s unique technology and expertise, we bring out the distinctive character and radiant beauty of metal. From elevators and windows to furniture doors, it adds a sophisticated touch to both residential and commercial spaces.



Real Metal ● ● RM004



Real Metal ● ● RM015



Real Metal ● ● RM007



Real Metal ● ● RM005



Real Metal ● ● RM051



Real Metal ● ● RM003



Real Metal ● ● RM009



Real Metal ● ● RM012



Real Metal ● ● RM011



Patina Metal ● ● NS602



Real Metal ● ● RM002



Real Metal ● ● RM008



Patina Metal ● ● NS601



RM002


Gold

The striking gold accents naturally draw the eye to focal areas, creating an impressive atmosphere in any space.


● Fire Retardant ● General



Metal Weave ● ● APZ18



Golden Fabric ● ● APZ25



Gold Crack ● ● APZ05



Golden Fabric ● ● APZ26



APZ05

Premium Marble




PM017 . PNC50




Bianco

PM017



PM003



Onyx

PM003

The marble pattern, long loved for its elegant charm, has been upgraded to an even more realistic look. By applying innovative coating technology to the existing marble surface, the premium marble delivers enhanced visual appeal, with a satin-like, powdery sanded stone texture that feels as luxurious to the touch as it looks.

● Fire Retardant ● General



Tundra

PM014



PM014



PM016



Fior di Bosco

PM016

Premium Marble



Terrazzo

PM008




Terrazzo

PM004



PM008

● Fire Retardant ● General




PM010



Basaltina

PM010



Basaltina

PM009

Premium Marble



Pietra PM006



Pietra PM007



PM007

Stone & Marble



NS202

Fire Retardant General



Travertine NS201




Travertine NS202

Stone & Marble




Arabescato NS814



Mono Terrazzo NS715



White Marble NS118




Nero Marquina NS804



White Marble NS715



White Marble NS118



White Marble NS119



Travertine NS806

Exterior Film


We've extended the delicate design sense of our interior films to the exterior of buildings. Complete your building's first impression with Bodaq Exterior Film.



The image was taken from an actual exterior wall installation at the Hyundai L&C headquarters.

EXF54

Fire Retardant General



Onyx EXF51




Rustic Stone EXF52




Wild Concrete EXF53



Wild Concrete EXF54



● Fire Retardant ● General



Easy Clean Film

NEW ● ECF01

Installation Guidelines

BODAQ	Installation Precautions	•Check the condition of the substrate (product name, product type, surface conditions) before installation. (If any issues are found, notify the supplier.) •For MDF, ensure the density is uniform, as differences in density can affect adhesion and stability during installation. •Follow the following recommended cleaning procedures for the substrate -For film covering and ABS doors, clean the surface of any contaminants and treat any damaged areas before installation. ※ When using sandpaper on ABS doors, avoid causing uneven surfaces. -For MDF, PB, and similar materials, smooth rough surfaces with sandpaper or apply putty before installation. •Be cautious of color differences between production lots. It's best to avoid mixing different lots during installation. •When exposed to low temperatures during winter, the surface may crack, and adhesion strength may decrease. Take extra care. •Avoid substrates with scratches or wax components, as these can reduce adhesion.
	Primer Stage	•It is recommended to use Bodaq Primer, produced by Hyundai L&C, for optimal performance and stability. •MDF, PB, and other wood materials have a high absorption rate, so 2-3 coats should be applied on cut edges. •After applying the primer, allow at least 2 hours for it to dry thoroughly before applying the film. [※Store Bodaq Primer (water-based) in a cool, shaded area, and do not use if the product has frozen. Take care during winter storage.
	Installation (Adhesion) Stage	•Maintain a room temperature (15°C–23°C) to eliminate any residual moisture on the wall. •For products like, OGW, SPW, LW, SMT, UMI, PNC, and PNT, which have special coatings, ensure that the temperature is maintained before installation. •When installing special products, apply primer, allow it to dry, and use extra pressure to finish the installation. •Pay special attention to corners, as insufficient pressure may cause peeling. •Avoid moisture and direct sunlight during installation, and do not use the film outdoors. •During hot summer months, sealing the space immediately after installation can lead to high temperatures, potentially causing bubbles or peeling. To prevent this, ensure adequate ventilation throughout the process.
Product-Specific Usage Considerations		
OGW / SPW / LW / PNC / PNT Products (Premium Coating Type)		•Handle with care to prevent damage to the special coating layer during installation, particularly when fitting into corners. •The surface features deep embossing, which may lead to tearing if subjected to excessive pressure or frequent removal and reattachment. •Clean the surfaces using mild detergent or water to avoid damage.
SMT Products (Matte Special Coating Type)		•The special coating may hinder the squeegee to smoothly slide during installation, so be sure to apply adequate pressure. •Avoid contamination between the substrate and the adhesive surface to prevent marks or protrusions. •The special coating may make overlapping installations difficult, so use caution. •The product may not return to its original shape if wrinkled or marked, so handle it with care during storage and use. •Be aware that F/R and General versions may have different surface textures.
RF Products (Woven Type)		•Be careful of scratches when using sharp tools due to the material's texture. •The thick material may be difficult to bend or overlap, and cutting it may be challenging. •There is no protective layer on the surface, so ensure careful use of the squeegee to avoid surface damage. •Tunnelling may occur if the fabric is rewound after use.
NF Products (Fabric Type)		•The fabric material may unravel during cutting, leaving threads behind. Applying pressure with the squeegee may be difficult. •The product is designed for flat installations and may be difficult to bend or cut due to its thickness. •Overlapping may be difficult due to the water-repellent and F/R coating on the surface. •Handle carefully to avoid surface damage, as there is no film layer on the surface.
VM / RM Products (Pearl Type)		•The pearl finish may show color variations depending on the distribution of the pearl pigments on the film surface. •Excessive detachment after overlapping installation could cause peeling.
UMI Products (Premium Real Metal Type)		•To maximize surface effect, installation must be carried out in a very clean environment to avoid dents or protrusion marks. •If the product is wrinkled or dented, it cannot be restored due to its special structure. Handle with care during storage and use. •The product is harder than standard products, so bending or overlapping may be difficult. •Tunnelling may occur if the fabric is rewound after use.
HS Products (High Gloss Type)		•Due to the high hardness of the product, sufficient pressure must be applied to prevent corner lifting.
ECF Products		•To maximize surface effect, installation must be carried out in a very clean environment to avoid dents or protrusion marks. •If the product is wrinkled or dented, it cannot be restored due to its special structure. Handle with care during storage and use. •The product is harder than standard products, so bending or overlapping may be difficult. •Tunnelling may occur if the fabric is rewound after use. •Handle with care to prevent damage to the special coating layer during installation, particularly when fitting into corners. •Clean the surfaces using mild detergent or water to avoid damage.
	Other Precautions	•There is a risk of discoloration due to UV exposure. •After installation, maintain room temperature for at least 1-2 days to allow the film to set properly.

BODAQ Exterior Film EXF Products	Installation Precautions	•Installation is recommended on smooth, non-porous, and high-energy surfaces. •Check the condition of the substrate (product name, product type, surface conditions) before installation. (If any issues are found notify the supplier.) •Follow the following recommended cleaning procedures for the substrate -Remove existing silicone caulking and residues, evenly fill dents or damaged areas, and sand the surface to remove contaminants and residues. •Be cautious of color differences between production lots. It's best to avoid mixing lots during installation. •When exposed to low temperatures during winter, the surface may crack, and adhesion strength may decrease. Take extra care. •Avoid substrates with scratches or wax components, as these can reduce adhesion.
	Primer Stage	•Apply the material thoroughly, focusing on edges, which are more prone to foreign matter intrusion. •After applying the primer, allow at least 2 hours for it to dry thoroughly before applying the film.
	Installation (Adhesion) Stage	•Installation is recommended at room temperature (15°C–23°C). •Remove surface moisture caused by condensation before installation. •Avoid moisture and direct sunlight during installation. •Pay special attention to corners, as insufficient pressure may cause peeling. •When applying silicone caulking after film attachment, cover at least 2 mm of the film with silicone.